

**ASSEMBLY INSTRUCTION** 

# ITEM NO: 8230BLK/BRW/FBR-2L

# LSF RECLINING LOVE SEAT

NOTE: Do not use power tools for assembly. Power tools increase the risk of over tightening which lead to splitting or cracking the wood.


## **COMPONENT LIST**


NO.	DRAWING	QTY	DESCRIPTION
A		1	LSF EAR
В		1	LSF BACK REST
С		1	RSF BACK REST
D		1	SEAT

## Please follow the drawings below to assemble the item.


Step 1. Align the female brackets at the back rest onto the male brackets at the seat, insert and push to the end, make sure the brackets are secured in position. D

Step 2. Insert the LSF ear to the back rest and make sure it is secured in position.





#### **Step 3. Completed**



### CARE INSTRUCTION FOR 8230BLK/BRW-2L (LEATHER GEL MATCH)

- Avoid exposing furniture directly to sunlight or heating and air conditioning outlets. Exposure to sunlight or heating and air conditioning outlets will fade/ damage leather gel match.
- Cleaning code : SW

Spot clean with upholstery shampoo, foam from a mild detergent or a mild dry cleaning solvent. Do not saturate with liquid. Pile fabrics may require brushing to restore appearance. Cushion covers should not be removed and dry cleaned.

### CARE INSTRUCTION FOR 8230FBR-2L (100% POLYESTER)

Avoid exposing furniture directly to sunlight or heating and air conditioning outlets. Exposure to sunlight or heating and air conditioning outlets will fade/ damage 100% polyester.

• Cleaning code : S

Clean only with a dry cleaning solvent. Do not saturate. Do not use water. Pile fabrics may require brushing to restore appearance. Cushion covers should not be removed and dry cleaned.



For items use on wooden floor, hard surfaces or carpets, it is recommended to Install protective pads under all legs and supports to avoid/prevent from damages/scratches and discoloration



**ASSEMBLY INSTRUCTION** 

## ITEM NO: 8230BLK/BRW/FBR-CR

# **CORNER SEAT**


NOTE: Do not use power tools for assembly. Power tools increase the risk of over tightening which lead to splitting or cracking the wood.

## **COMPONENT LIST**


NO.	DRAWING	QTY	DESCRIPTION
A		1	LSF BACK REST
В		1	RSF BACK REST
С		1	SEAT

## Please follow the drawings below to assemble the item.

Step 1. Align the female brackets at the back rest onto the male brackets at the seat, insert and push to the end, make sure the brackets are secured in position.



#### Step2. Completed



### CARE INSTRUCTION FOR 8230BLK/BRW-CR (LEATHER GEL MATCH)

Avoid exposing furniture directly to sunlight or heating and air conditioning outlets. Exposure to sunlight or heating and air conditioning outlets will fade/ damage leather gel match.

Cleaning code : SW

Spot clean with upholstery shampoo, foam from a mild detergent or a mild dry cleaning solvent. Do not saturate with liquid. Pile fabrics may require brushing to restore appearance. Cushion covers should not be removed and dry cleaned.

### CARE INSTRUCTION FOR 8230FBR-CR (100% POLYESTER)

Avoid exposing furniture directly to sunlight or heating and air conditioning outlets. Exposure to sunlight or heating and air conditioning outlets will fade/ damage 100% polyester.

• Cleaning code : S

Clean only with a dry cleaning solvent. Do not saturate. Do not use water. Pile fabrics may require brushing to restore appearance. Cushion covers should not be removed and dry cleaned.



For items use on wooden floor, hard surfaces or carpets, it is recommended to Install protective pads under all legs and supports to avoid/prevent from damages/scratches and discoloration



**ASSEMBLY INSTRUCTION** 

# ITEM NO: 8230BLK/BRW/FBR-2RCN

## **RSF DOUBLE RECLINING LOVE SEAT WITH CONSOLE**


NOTE: Do not use power tools for assembly. Power tools increase the risk of over tightening which lead to splitting or cracking the wood.

NO. DRAWING QTY DESCRIPTION А 1 RSF EAR **RSF BACK REST** В 1 С LSF BACK REST 1 D CONSOLE BACK REST 1 Ε 1 SEAT

COMPONENT LIST


### Please follow the drawings below to assemble the item.

Step 1. Console back rest is stored in plastic bag at the bottom of the console. Please take out for assembly.





Step 3. Insert the RSF ear to the back rest and make sure it is secured in position.

Step 2. Align the female brackets at the back rest onto the male brackets at the seat, insert and push to the end, make sure the brackets are secured in position.




Step 4. Completed





#### Step 5. Pull open handle to use reclining function



### CARE INSTRUCTION FOR 8230BLK/BRW-2RCN (LEATHER GEL MATCH)

Avoid exposing furniture directly to sunlight or heating and air conditioning outlets. Exposure to sunlight or heating and air conditioning outlets will fade/ damage leather gel match.

Cleaning code : SW

Spot clean with upholstery shampoo, foam from a mild detergent or a mild dry cleaning solvent. Do not saturate with liquid. Pile fabrics may require brushing to restore appearance. Cushion covers should not be removed and dry cleaned.

### CARE INSTRUCTION FOR 8230FBR-2RCN (100% POLYESTER)

Avoid exposing furniture directly to sunlight or heating and air conditioning outlets. Exposure to sunlight or heating and air conditioning outlets will fade/ damage 100% polyester.

• Cleaning code : S

Clean only with a dry cleaning solvent. Do not saturate. Do not use water. Pile fabrics may require brushing to restore appearance. Cushion covers should not be removed and dry cleaned.



For items use on wooden floor, hard surfaces or carpets, it is recommended to Install protective pads under all legs and supports to avoid/prevent from damages/scratches and discoloration